



*Performance Under Pressure.®*

Hot Water Pressure Washers

**HDC Series**



# HDC Series

Gasoline - Belt Drive

*The HDC Series is the most affordable and efficient skid on the market today  
The best buy for a quick return on investment.*



High quality fuel filter/  
water separator ensures  
clean fuel supply to the  
burner



Stainless-steel coil wrap  
prevents rusting



12-volt burner, no need for  
a generator (battery not  
included)



Large polyethylene float  
tank prevents rusting



*HDC-3505-0K6G shown with  
optional wheel kit*

**Additional Features****Pump**

- Forged brass manifold with removable valve caps
- Factory preset unloader

**Engine**

- Industrial gasoline engine with electric start (battery not included)

**Frame**

- Wrinkle-finish powder coated steel, protective square tubing roll cage frame assembly

**Components**

- Pressure relief valve protects against excessive system pressure
- No.1 or No.2 diesel or kerosene fired burner (Bio-fuel not approved at this time)

**Unit Includes**

- Quick connect nozzles (0°, 15°, 25° and 40°)

**Miscellaneous**

- Temperature rise 150°F/66°C above ambient



# HDC Series

## Gasoline - Belt Drive


1/2-inch schedule 80-coil with stainless-steel wrap heat exchanger

On/Off burner switch

Adjustable high pressure detergent injection

Electric start engine

Heavy-duty powder coated steel square tube frame



10-gallon polyethylene engine fuel tank

Professional-grade insulated trigger gun with safety lock-off

50-foot x 3/8-inch steel wire-braided pressure hose with quick connects

HDC-3505-0K6G


Belt drive triplex General pump with ceramic plungers

Battery box (battery NOT included)

10-gallon polyethylene burner fuel tank

Performance-proven industrial gasoline engine

Adjustable pressure insulated dual lance



Mi-T-M offers a full line of products including cold water pressure washers, air compressors, generators, wet/dry vacuums, jobsite boxes, portable heaters and water treatment systems.

# HDC Series

Gasoline - Belt Drive

Model Number	PSI	GPM	Displacement/Engine	Gas Tank Capacity	Burner Fuel Tank Capacity	Fuel Consumption	BTU per hour	Dimensions	Ship Wt.	Net Wt.
HDC-3005-0K6G	3000	4.8	624cc Kohler	10.0 gallon	10.0 gallon	2.76 gph	386,400	50in.x34in.x45in.	844 lbs.	725 lbs.
HDC-3005-0V6G	3000	4.8	480cc Vanguard OHV	10.0 gallon	10.0 gallon	2.76 gph	386,400	50in.x34in.x45in.	844 lbs.	725 lbs.
HDC-3505-1H6G	3500	4.7	GX630 Honda OHV	10.0 gallon	10.0 gallon	2.76 gph	386,400	50in.x34in.x45in.	844 lbs.	725 lbs.
HDC-3505-0K6G#	3500	4.7	624cc Kohler	10.0 gallon	10.0 gallon	2.76 gph	386,400	50in.x34in.x45in.	844 lbs.	725 lbs.
HDC-3505-0V6G	3500	4.7	627cc Vanguard OHV	10.0 gallon	10.0 gallon	2.76 gph	386,400	50in.x34in.x45in.	844 lbs.	725 lbs.

#Higher performance 624cc Kohler engine.

**OPTIONS**

Part Number	Description	Fits Models
HX-0130	<b>Three-way ball valve</b> - Allows pressure washer to be operated from garden hose/float tank or trailer supply tank by adjusting ball lever valve	All models
HX-0147	<b>Four-point lifting capability</b> - Allows unit to be lifted by crane	All models
HX-0156	<b>Hour meter</b> - Displays number of hours unit has been in operation	All models
HX-0200	<b>Trapping unloader</b> - For longer hose runs and cleaning elevated areas	All models
HX-0212	<b>Adjustable temperature control</b> - Operator is able to adjust outlet water temperature between 96°F-250°F	All models

**ACCESSORIES**

Part Number	Description	Fits Models
AW-5740-0000	<b>Wheel kit</b> - Allows unit to become portable	All models
50-0170	<b>Stack adapter</b> - Allows 8-inch flue pipe to be installed to boiler exhaust port	All models
850-0324	<b>Gasket (for 50-0170)</b> - Seals between 50-0170 stack adapter and boiler housing	All models

POWERED by **HONDA**

Mi-T-M Corporation  
 8650 Enterprise Drive  
 Peosta, IA 52068  
 800-553-9053  
 563-556-1235 fax  
 corp@mitm.com  
 www.mitm.com

Distributed by: